

#### **Street Address:**

AOCS, 3356 Big Pine Trail Ste C/D Champaign, IL 61822 USA **Phone:** +1-217-359-2344;

**E-Mail:** CRM@aocs.org; **Web:** www.aocs.org

# **Certified Reference Materials**

**AOCS 0822-A** 

Report of the certification process for

Non-Modified Maize

**Certified Reference Materials** 

First Batch

Denise Williams
Technical Services Manager

Tiffanie West Technical Director



# **Legal Notice**

Neither AOCS nor any person acting on behalf of AOCS is responsible for the use which might be made of the following information.

#### **AOCS Mission Statement**

AOCS advances the science and technology of oils, fats, proteins, surfactants and related materials, enriching the lives of people everywhere.

More information regarding AOCS is available at <a href="http://www.aocs.org">http://www.aocs.org</a>

### **Table of Contents**

Legal Notice	2
Abstract	4
Acknowledgements	5
Glossary	6
Introduction	8
Material Processing	8
Trait Verification	8
Certified Value and Measurement Uncertainty	9
Homogeneity	10
References	11

#### **Abstract**

This report describes the preparation and certification of maize CRM AOCS 0822-A produced by AOCS Technical Services in 2022. This CRM has been prepared according to ISO 17034:2016 and is intended to serve as control material for third party testing of maize or grain for transformation events. The non-modified maize powder was provided by Corteva Agriscience, Johnston, IA. It was prepared by grinding the bulk seed at Corteva Agriscience. The certified value of AOCS 0822-A was based on the purity of the bulk seed material and is 0 g/kg. The powder was aliquoted and bottled in 27-mL glass headspace vials and sealed under a nitrogen gas environment at Illinois Crop Improvement Association. The absence of DP-910521-2 in AOCS 0822-A was verified using event-specific, qualitative PCR analysis by Eurofins-GeneScan, New Orleans, LA (an ISO 17025 accredited laboratory). CRM samples should be stored in a dry, sealed container at ambient or cooler conditions in the dark.

# **Acknowledgements**

The authors would like to express sincere appreciation and gratitude to several individuals and their companies for support and guidance throughout this project. Thanks go to Margit Ross, Corteva Agriscience, for offering AOCS the opportunity to manufacture and distribute these products; to Melissa Salazar at Illinois Crop Improvement Association for packaging the samples; and to Frank Spiegelhalter, Greg Ditta and E. Pearce Smith, Eurofins-GeneScan for event-specific, qualitative PCR analysis including the provision of information on running the analyses and interpreting the results.

# **Glossary**

AOCS American Oil Chemists' Society

Conventional/

Non-modified crop Crop variety with no history of genetic engineering and is

produced through plant-breeding techniques that rely on selecting and mating parent plants possessing promising traits and repeatedly selecting for superior performance

among their offspring

DNA Deoxyribonucleic Acid is the linear, double-helix

macromolecule that makes up the genetic material of most

organisms

Detection Limit Lowest level at which target DNA can exist in a sample and

be reliably tested by PCR methods. It is typically expressed as a percentage: the ratio of the number of transgenically

derived genomes to the number of crop genomes times 100

percent

EC European Commission

GMO Organism that has had genetic sequences modified using

molecular-level techniques

Genome The full set of genes and associated DNA characteristics of

an organism

ISO International Organisation for Standardisation

ISTA International Seed Testing Association

PCR

Polymerase Chain Reaction: technique used to determine whether a sample of plant tissue contains a particular DNA sequence. PCR relies on primer sets that zero in on a particular target DNA sequence and a special DNA-copying enzyme (DNA polymerase) that makes enough copies of the target sequence for identification and measurement.

Qualitative PCR

PCR methods that determine the presence or absence of a specific target DNA sequence at a particular level of detection.

Quantitation Limit

Lowest level at which the amount of target DNA sequence in a sample can be reproducible. It is typically expressed as the ration of the number of transgenic genomes to the number of crop genomes times 100 percent.

Quantitative PCR

PCR methods that estimate the relative amount of target DNA sequence in a mixture of DNA molecules

#### Introduction

Plant biotechnology is an extension of traditional plant breeding. It allows plant breeders to develop crops with specific beneficial traits including insect, disease, and herbicide resistance; processing advantages; and nutritional enhancement. An important component for identifying these new traits is a Certified Reference Material created from leaf, seed, or grain containing the new trait as well as a CRM created from the non-modified bred matrix. The European Commission has mandated that from 18 April 2004, a method for detecting a new biotech event and Certified Reference Material must be available before the EC will consider authorizing acceptance of a new genetically modified crop. Several nations outside Europe also require grain and ingredients to be labeled above a threshold level before accepting a shipment.

To meet the above analytical requirements for GM determination, AOCS 0822-A was manufactured from maize seed according to ISO 17034:2016 and in accordance with EC No 1829/2003, EC No 641/2004 and EC No 619/2011. The CRMs is available from AOCS.

# **Material Processing**

Corteva Agriscience milled  $\sim$ 4 kg of non-modified maize seed. All of the seed powder was passed through a 500  $\mu$ M mesh sieve. The seed powder was delivered to AOCS who contracted Illinois Crop Improvement Association for packaging the samples. The powder was aliquoted and bottled in 27-mL glass headspace vials and sealed under a nitrogen gas environment.

#### **Trait Verification**

The absence of the DP-910521-2 events in the non-modified maize material was assessed on 10 random vials of AOCS 0822-A. AOCS used the Random Number Generator function of Microsoft Excel to select samples for verification of trait absence. Sample numbers that were randomly selected were sent to Eurofins-GeneScan, New Orleans, LA (an ISO 17025 accredited laboratory) for event-specific, qualitative PCR analysis to verify the absence of the traits in the samples (Table1).

Table 1. Trait verification testing on AOCS 0822-A non-modified maize performed by Eurofins- GeneScan, New Orleans, LA (an ISO 17025 accredited laboratory) for absence of DP-910521-2.

AOCS 0822-A Sample	Trait Presence
Sample # 8	Negative
Sample # 52	Negative
Sample # 77	Negative
Sample # 120	Negative
Sample # 163	Negative
Sample # 234	Negative
Sample # 276	Negative
Sample # 311	Negative
Sample # 348	Negative
Sample # 383	Negative

# **Certified Value and Measurement Uncertainty**

The genetic purity of the seed lot used to produce AOCS 0822-A was assessed by Corteva Agriscience. A total of 3200 maize seeds were subjected to seed pool testing for the presence of DP-910521-2 by qualitative event-specific PCR. 3200 of the 3200 seeds tested negative for the presence of DP-910521-2.

Purity estimation was calculated using SeedCalc8 (Remund et al., 2008). The % impurity in the sample was 0% when 3200 seeds were tested.

The measurement uncertainty is the expanded uncertainty using the value of the upper bound of impurity at 0.9 g/kg. The standard uncertainty can be obtained by dividing the expanded uncertainty by  $2\sqrt{3}$  (rectangular distribution).

The standard uncertainty for AOCS 0822-A is 0.3 g/kg.

### Homogeneity

The homogeneity of AOCS 0822-A is related to the purity of the seeds. 3200 out of 3200 seeds tested negative for the DP-910521-2 maize event by event-specific PCR. Based on the sample impurity of 0%, as determined using SeedCalc8, the batch was expected to be homogenous.

In addition, the homogeneity of the DP-910521-2 trait was confirmed when 10 random vials of AOCS 0822-A were selected and were sent to Eurofins-GeneScan, New Orleans, LA (an ISO 17025 accredited laboratory) for event-specific, qualitative PCR analysis to verify the absence of DP-910521-2 in the samples (See Trait Verification section and Table 1).

### **Stability**

Time, temperature and light are regarded as the most relevant influences on the stability of CRM (Linsinger, et al., 2001). The influence of light is mitigated by shipping and storing the vials in boxes, thus minimizing the possibility of degradation due to light. The influence of temperature is mitigated by storing the vials in a temperature-controlled room, and shipping vials at ambient temperature.

Stability of these CRMs has been listed as 1 year from the certification date. The materials were processed and are stored at ambient temperature, under nitrogen gas, in 27 mL glass headspace vials. These materials are expected to be stable for longer than the estimated expiration date. The stability of the powder material will be reevaluated at time of expiration. If the samples still test negative for the presence of the intended trait, the certificates will be extended.

#### References

Eurofins-GeneScan; 2219 Lakeshore Drive, Suite 400, New Orleans, LA 70122; Telephone: +1 504 297 4330 Toll Free: +1 866 535 2730 Fax: +1 504 297 4335 https://www.eurofinsus.com/food-testing/testing-services/gmo/

Illinois Crop Improvement Association, 3105 Research Road, Champaign, IL 61826; Telephone: +1 217 359 4053 Fax: +1 217 359 4075; <a href="http://www.ilcrop.com/index.htm">http://www.ilcrop.com/index.htm</a>

ISO 17034:2016 (E) General requirements for the competence of reference material producers

ISO 17025:2005 and ISO 17025:2017, General Requirements for the Competence of Testing and Calibration Laboratories

International Seed Testing Association, International Rules of Seed Testing: Seed Science and Technology Rules, 2012

Regulation (EC) No 1829/2003 of the European Parliament and of the Council of 22 September 2003 on genetically modified food and feed; <a href="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX%3A32003R1829&amp;from=en">https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX%3A32003R1829&amp;from=en</a>

Remund K., Simpson R., Laffont J-L., Wright D., and Gregoire S. Seedcalc8. 2008. <a href="https://www.seedtest.org/en/statistical-tools-for-seed-testing-content---1--3449---1102.html">https://www.seedtest.org/en/statistical-tools-for-seed-testing-content---1--3449---1102.html</a>